


YOUR PROBLEMS: GREASE & DRAIN BLOCKAGE

WE HAVE THE SOLUTION FOR YOU






FATS, OILS & GREASE DOWN THE DRAIN. IT'S INEVITABLE

Commercial kitchens naturally discharge high levels of fats, oils and greases into the drains. This can result in slow drains and blockages which release bad odours.


The GreaseBox will prevent FOGs completely!




Blockage



Drain Smell




Drain Blockage



10%

of UAE water boards estimate around of its sewer network is clogged with FOGs (Fat, Oil and Grease)




There are approximately

150,000

blockages throughout the UAE every year caused by FOGs

THE SOLUTION



Benefits at a Glance!

- NO COSTLY enzymes required
- NO SMELL from drains
- NO RISK of drain blockages
- NO solid food waste into drains
- COST SAVING/ROI



GREASEBOX

Technical Specifications

Flow Rates

Passive = 7GPM (26.5 L/M)

Pro Active = 25GPM (1.8 L/S)

Application

Pot Wash & Pre Rinse Double Bowl Sinks.

Do not exceed rated in-flows.

Functions & Features:


PreFilter. As Standard for Solids Control.

Recirculation - Surface of water spray function to enhance FOG removal and clean outlet weir area.

Service Function - With Service hose.

Running Trap - 54mm Running trap fitted on outlet as standard.

Ratings:	EU:	US:
Voltage:	240 Volts	120 Volts
Frequency:	50Hz	60Hz
Current:	0.75 Amps	1.5 Amps



Product Certifications




Industry Certifications



Members of



ISO Certifications



Dubai, U.A.E
(+971) 4 396 8264
info@mgk.ae
www.mgk.ae

Kuala Lumpur, Malaysia
+60 10 712 1703
info@mgk.ae
www.mgk.ae

Hamburg, Germany
+49 40 32 04 25 84
nico@mgk.ae
www.mgk.ae

